

Guía sostenible
Sustainable guide
Guide durable

LUZRIA
Your Partner in Lighting

Desde Lluria, miramos hacia el futuro con la responsabilidad de reducir nuestro impacto en el medio ambiente. Con el objetivo de minimizar el impacto medioambiental hemos creado esta guía visual sostenible.

Esta guía ha supuesto la **reducción de un 97% de papel utilizado** en comparación con el catálogo general.

En este documento recogemos de forma esquemática y reducida nuestros productos. Junto a cada producto, se encuentra un código QR, que, al escanearlo con el móvil, nos dirige de forma automática a la página del producto en la web, donde podemos descargar la ficha técnica.

De esta manera, el lector tiene una visión global, fácil y rápida de todos los productos que ofrece Lluria, además de tener información ampliada y detallada con solamente escanear el código QR.

At Lluria we look to the future with the responsibility of reducing our impact on the environment. With the aim of minimizing the environmental impact we have created this sustainable visual guide.

This guide has meant a **97% reduction in paper used** compared to the general catalogue.

In this document we present our products in a schematic and reduced way. Next to each product, there is a QR code, which, when scanned with the mobile phone, is automatically directed to the product page on the website, where the technical sheet can be downloaded.

In this way, the reader has a quick, easy and global view of all the products that Lluria offers, in addition to having expanded and detailed information by simply scanning the QR code.

Chez Lluria, nous regardons vers l'avenir avec la responsabilité de réduire notre impact sur l'environnement. Dans le but de minimiser l'impact environnemental, nous avons créé ce guide visuel durable.

*Ce guide a permis une **réduction de 97% de la consommation de papier** par rapport au catalogue général.*

Dans ce document nous présentons nos produits de manière schématique et résumée. À côté de chaque produit se trouve un code QR qui, une fois scanné avec le téléphone portable, vous êtes automatiquement dirigé vers la page du produit de notre site Web, où vous pourrez télécharger la fiche technique.

De cette manière, le lecteur dispose d'une vue rapide, simple et globale de tous les produits proposés par Lluria, en plus de disposer d'informations élargies et détaillées en scannant simplement le code QR.



Índice / Index / Index

Sistema de Iluminación Lineal LED LED Linear Lighting Systems *Système d'éclairage linéaire LED*

Digital

IP20



D-IN9
Digital Indus
New



D-IN9
Digital Indus RGB
New



D-MR14.4
Digital Miranda RGB-3P
New



D-MR14.4
Digital Miranda RGB-6P
New



D-UR19.2
Digital Ursa RGBW
New



D-JU19.2
Digital Juno RGBW
New



D-TT28
Digital Titan Triple White
New



D-TT15
Digital Titan RGB
New

IP67



D-LX14.4
Digital Luxel



D-LX28
Digital Luxel Triple White
New



D-JE15
Digital Juno RGBW
New



D-JE19.2
Digital Juno RGB
New



D-ME14.4
Digital Miranda Estanca RGB
New



D-UE19.2
Digital Ursa Estanca RGBW
New


IP68




D-WL12
Digital Wolf RGB Horizontal Bend




D-WL15
Digital Wolf RGBW Horizontal Bend




D-CO16.5
Digital Cougar RGB Vertical Bend



D-CO16.5
Digital Cougar RGB Horizontal Bend



D-CO22
Digital Cougar RGBW Vertical Bend



D-CO22
Digital Cougar RGBW Horizontal Bend

Wallwashers New



EH36
Endhor



EH36
Endhor RGBW



BV26
Blow



BV26
Blow RGBW



TN18
Tatun

Linear Lighting

IP20

Nature



NA4.8
 Nature



NA10
 Nature



NA14.2
 Nature



NA19.2
 Nature



NA28.8
 Nature



NA38
 Nature

Anser



NA19.2
 Nature
 Double White



AN4
 Anser



AN11
 Anser



AN15
 Anser

Pegasus



PE24
 Pegasus

Kasiopea



KA7
 Kasiopea

Energy



EN20
 Energy



EN37
 Energy

Moon



M04.8
 Moon



M09.6
 Moon



M013.9
 Moon



M014.2
 Moon



M019.2
 Moon



M028.8
 Moon



M033
 Moon



M038
 Moon

Titan



TT7.2
 Titan RGB



TT9.6
 Titan RGB



TT13.9
 Titan RGB



TT14.4
 Titan RGB



TT23
 Titan RGB



TT19.2
 Titan RGBW



TT23
 Titan RGBW



TT40
 Titan RGBW

Mini



MI4.8
 Mini LED



MI10
 Mini LED



MI14.4
 Mini LED

Basic



BS4.8
 Basic



BS9.6
 Basic



BS13.9
 Basic

Side Way



SW14.4
 Side Way

Snake



SN4.8
 Snake



SN14.2
 Snake

Linear Lighting



BS14.2
 Basic



BS19.2
 Basic



BS7.2
 Basic RGB



BS14.4
 Basic RGB

Protect IP54

Halley



HL7.2
 Halley RGB



HL13.9
 Halley RGB



HL14.4
 Halley RGB



HL19.2
 Halley RGBW

Basic Estanca



BE7.2
 Basic RGB



BE14.4
 Basic RGB

Water Resistant IP65

Kasiopea Estanca



KE7
 Kasiopea
 Estanca

Comet New



CN4.8
 Comet New



CN9.6
 Comet New



CN13.9
 Comet New



CN14.2
 Comet New



CN28.8
 Comet New

Basic New



BN4.8
 Basic New



BN9.6
 Basic New



BN14.2
 Basic New

Vega



VE8 V
 Vega
 Vertical bend

Auriga



AU14 V
 Auriga
 Vertical bend



AU9.6 H
 Auriga
 Horizontal bend

Grus



GR16 V
 Grus
 Vertical bend



GR14 3D
 Grus
 3D bend

Rea




RE9.6
 Rea
 Horizontal bend

Elara



EL14.4
 Elara
 Horizontal bend



EL14.4
 Elara RGB
 Horizontal bend

Crono



CR11
 Crono

Centaurus 230V



CW15
 Centaurus
 New

Siliconled



Siliconled

Waterproof IP67

Nature Estanca



NE19.2
Nature IP67 New

Energy Estanca



EE20
Energy IP67



EE37
Energy IP67

Anser Estanca



AE11
Anser Estanca



AE15
Anser Estanca

Luxel



LX4.8
Luxel



LX9.6
Luxel



LX14.2
Luxel



LX19.2
Luxel



LX28.8
Luxel



LX33
Luxel



LX38
Luxel



LX7.2
Luxel RGB



LX13.9
Luxel RGB



LX14.4
Luxel RGB



LX19.2
Luxel RGBW



C012 3L
Cougar 3L



C012 RGB 3L
Cougar RGB 3L
Vertical bend



C015 RGBW 3L
Cougar RGBW 3L
Vertical bend

Underwater IP68

Wolf



WL6
Wolf
Horizontal bend




WL12
Wolf
Horizontal bend




WL12 RGB
Wolf RGB
Horizontal bend



WL12 DW
Wolf Double White
Horizontal bend



WL15 RGBW
Wolf RGBW
Horizontal bend




WL12-18-30
Wolf Dim to Warm
Horizontal bend


Cougar




C012 V
Cougar
Vertical bend




C012 H
Cougar
Horizontal bend




C012 RGB V
Cougar RGB
Vertical bend



C012 RGB H
Cougar RGB
Horizontal bend



C015 RGBW V
Cougar RGBW
Vertical bend




C015 RGBW H New
Cougar RGBW
Vertical bend




C012 DW V
Cougar Double White
Vertical bend



C012 DW H
Cougar Double White
Horizontal bend



C012 18-30 V
Cougar Dim to Warm
Vertical bend




C012 18-30 H
Cougar Dim to Warm
Horizontal bend




Resiled

Perfiles Profiles *Profils*

Superficie Surface *Surface*



ST0
Star 0



ST1
Star 1
Polycarbonate



ST2
Star 2
Multi-optic




ST2P
Star 2 Plus
Multi-optic




ST3
Star 3




ST4
Star 4



ST4P
Star 4 Plus



ST6
Star 6



ST9
Star 9



ST12
Star 12




ST14
Star 14



ST15
Star 15




ST16 Mini
Star 16




ST17
Star 17
Wallwasher



ST18
Star 18
Up&Down




ST19
Star 19




ST21
Star 21




ST22
Star 22
Multi-line




ST23
Star 23
Cornice



ST24 Mini
Star 24
Mini Round




ST25 Mini
Star 25
Mini Corner



ST26 Mini
Star 26



ST27
Star 27
Multi-line




ST29
Star 29



ST31
Star 31
IP-IK



ST32
Star 32
IP-IK



ST33 Mini
Star 33
Mini Corner



ST35
Star 35



ST36 New
Star 36
Up&Down



ST37 New
Star 37




ST38 New
Star 38




STTS
Star TS
Two Sides


Empotrar Recessed *Encastrer*




ST50
Star 50



ST51
Star 51




ST52
Star 52



ST54
Star 54
Wallwasher



ST55
Star 55



ST56
Star 56




ST57
Star 57
Walkable




ST59 Mini
Star 59




ST60 Mini
Star 60
Asymmetric




ST61 Mini
Star 61
Plasterboard



ST62 Mini
Star 62
Plasterboard




ST63 Mini
Star 63
Plasterboard




ST64
Star 64
Plasterboard




ST65
Star 65
Plasterboard




ST66
Star 66
Plasterboard




ST67
Star 67
Plasterboard



ST68
Star 68
Plasterboard



ST69
Star 69
Plasterboard



ST70
Star 70
Plasterboard

Accesorios Accesories *Accessoires*



IO-0



Prensaestopas
Cable gland IP68



Kit Disco Embellecedor
Trim disc kit



Base con taladro y sin taladro
Base with and without drilled hole



KIT S
Kit suspensión



KIT SB
Kit suspensión



KIT SB-S
Kit suspensión



KIT SE



KIT SE-S
Kit suspensión

Sistemas de control Control systems *Systèmes de contrôle*
PWM



TPR-1
1 channel dimmer



TP-1-4
1 channel dimmer
4 zones



TPR-1-4
1 channel dimmer
4 zones



RCR-1
1 channel dimmer



RCR-1-4
1 channel dimmer
4 zones




DMR-75
1 channel dimmer



DMR-150
1 channel dimmer




DMR-Mini
1 channel dimmer



INT-TL-D
1 channel dimmer



INT-P
1 channel proximity
switch



INT-P-D
2 channels dimmer




SEN-M
1 channel sensor



SEN-M-S
Surface motion
sensor



SEN-M-E
Recessed motion
sensor



SEN-L
Recessed motion
sensor



RCR-2
2 channels dimmer



RCR-3
3 channels controller



PCP
3 channels controller



TPR-4-4
4 channels controller



RCR-4-4
4 channels controller
4 zones



RCR-4-8
4 channels
controller
8 zones



RCR-5-4
5 channels controller
4 zones

Repetidores y accesorios Repeaters and accesories *Relais et accessoires*



RP-DMR-150
1 channel repeater



RP-DMR-360
1 channel repeater



RP-RGB-150
3 channels repeater



RP-RGB-360
3 channels repeater



RP-RGBW-150
4 channels repeater



RP-RGBW-300
4 channels repeater

Casambi



BT-1-CASX
1 channel
dimmer



BT-2-CAS
2 channel
converter



BT-4-CAS-X
4 channel converter



BT-4-CAS-R
4 channel converter



BT-5-CAS
5 channel
converter



BT-CAS-DMX-8
CASAMBI to DMX
Converter 8 Channels



BT-1-CAS-DA
Converter



BT-DA-CAS
DALI-CASAMBI signal
converter



BT-CAS-2-DA
2 channels CASAMBI-
DALI converter



BT-1-CAS-230
Phase dimmer



BT-CAS-TRI
Phase cut dimmer



TP-CAS
Touch panel



BT-CAS-GTW-P
CASAMBI WiFi
gateway



BT-CAS-REL
CASAMBI relay



BT-CAS-SEN
Motion and dusk sensor



BT-CAS-SEN-66-S New
Presence / Luminance
sensor

DMX



PPT-DMX
DMX controller



PPT-DMX3
DMX controller



DE-2-DMX-4A
2 channels EldoLED
converter



DE-4-DMX-5A
4 channels converter



DE-4-DMX-DA-PWM
4 channels repeater
EldoLED converter



DE-5-DMX-6A
5 channels converter



TR-DMX New
4 channels
EldoLED converter

WIFI



DE-5-WF
5 channels
controller



WF-2-ZB
2 channel Zigbee
converter



WF-4-ZB
4 channel Zigbee
converter

Convertidores Converters *Convertisseurs*



DMR-0-10-75
1 channel converter



DMR-DA
1 channel converter



DE-2-DA
2 channels EldoLED
converter



DE-4-DA-X
4 channels converter

Digital



DB-SEQ New
SPI delay
controller 1 port 2
outputs



DB-ESC New
SPI delay
controller 32 ports



DB-CT-8
SPI/DMX delay
controller



DB-CT-2-2 New
Artnet controller
direct o deferred



DB-CT-2-12 New
Artnet controller
direct o deferred



DB-CT-2-32 New
Artnet controller
direct o deferred



LB-ART2
Artnet SPI direct
converter



DB-CT-2-DMX New
Artnet- DMX direct
converter



DB-USB-DMX New
Artnet- DMX
direct converter



LB-AM-D
Digital amplifier



DB-OR New
Input
converter



DB-DI-DMX
DMX Addresser



LB-PC
Computer



LB-SOFT
Software

Fuentes de alimentación Power supplies *Alimentations*



FAL New
Class II



FAC
Class II



FAS
Class II



FAF
Slim



FAW
Waterproof



FDI
Dimmable



FAT
TRIACS Dimmable



FAI
Industrial
Class I



BAT
Battery



KIT
Emergency

Rec Molinar 7, (Z.I. del Circuit)
08160 Montmeló
Barcelona - Spain
935 938 176
lluria.com

Pso. de la Castellana, 91
Planta 4 atrium
28046 **Madrid** - Spain

v4. Mayo 2025